pp F- IX-4

Previous References (194 MU) File No 22-44
Serial Nos 2

Later References
192 44 8
192-44-12
(11-12)

GENERAL AND REVENUE SECRETARIAT

Serial Nos 45

Part B for July 1944

SUBJECT

Acquisition of Door Nos 27, 9A, 9B 10 & 11 in Bamboo Bazaar Street, Bangalore City

Notices ——— for relieving Congestion, etc and calls for objection

To The Compiler, Mysore Gazette
" Municipal Comm Bangalore City -
L 178, dated 7-7-44

Letter No 1568 Dt 15/2-44 from the Govt Architect forwarding a copy of letter No 1564 Dt 15-2-44 on the matter of the acqn of burnt-out blocks in Bamboo Bazaar, by the Bangalore City mcc

1) subs for perusal & reference to order a copy of the letter addressed to the mc Comm. Bdg and sent here for information

2) If applcn proposals, if any, will be awaited from the mc comm

UKS 20/2

3) For perusal.

4) For perusal

Number 299

Sec 21-2-44

for

Sec 1-3-44

for

Sec 2-3-44

for

Letter No 1567 Dt 15-2-44 from the Govt Archt forwarding a copy of his letter addressed to the mc comm on the matter of the acqn burnt out blocks in Bamboo Bazaar by the B'city

5) Minutes of the Minister L&G&P.H on the letter

SECY LAW DEPT 8300 GOVT OF MYSORE

OFFICE OF THE FULLS & P.H Date 23/2/44 No 5712

5269 ∪ 6190 ∪ 71255

Continuation Sheet | File No / Current No | Page 7321

"The opinion of the council may be obtained in the matter"

(Sd) H Gr 4-3-44

6). Submitted with a draft letter for approval

KHB 6/4

7) Done 10/4/44

To The ML Commr Bcy/Kirkee
No L 10566 Dy 12-4-44
Calls for the opinion of the ML el in the matter

Secy A 15/4 JOM

Letter No Dy 8-5-44 from the Govt Architect re the acqn of burnt out blocks in Bamboo Bazaar. Bcy

8) Submitted with a draft letter for approval

KHB 8/5

9) The Govt Architect has sent a memo 2 copies of PL put it up also

Done 8/5/44

Letter No 2076 Dy 18 5 44 from the Govt Architect forwarding an official Memorandum re proposals for the protection of Bamboo Bazaar and with reference to Para 9 supra

KHB 28/5

The memorandum received from the Govt Architect containg certain proposals for the protection of Bamboo Bazaar against fire is for perusal It will be sent to the ML Comr. Bcy for Comments

Continuation Sheet | File No. 7321/1 / Current No | of | Page

11938
21 21 - 1
OUT OF

OFFICE OF THE MASTER
FOR L.S.G. & P.H.
Date 24 5 44
No. 8222

Very early

Lawyer for
Yes Sir a very early Reply
Can
24 5 44
from
Sec
9 6 44
Can
10 2 44
Pr Pl
1 1 46

Letter No L1-C 828/43 dt 31-5-44 from the Mil Commr, Bcy forwarding for publication the Preliminary declaration statements for the acqn of Door Nos 27, 9A, 9B, 10 & 11 in Bamboo Bazaar Street, Bcy to relieve the congestion there

Letter No 26052 dt 5-6-44 from the Chief Engineer for Roads & Buildings submitting proposals for the protection of the Bamboo Bazaar, Bcy against fire

After the issue of declaration statements for the acqn of properties proposed by the Mil Commr, the proposals of the Chief Engineer for the protection of the Bamboo Bazaar against fire will be considered

7321 ∫ 7660 ∫ 2769

Continuation he ' File No / Current No of Page

3 drafts invited for approval or orders

UNS
-24/6 In order to relieve the congestion on the existing link roads between the Southern extension of the Broomes & Cantonment of the city, the M.L Council has framed proposals for the acquisition extra properties on Bamboo Bazaar, Shivaji at a costing of 99 52

The preliminary notifications are for perusal before issue

Laurence J Pinto

Jayaram

Under 299

Secy

Secy

1 7 44

Under 3-7 44

Secy

Pinto

OFFICE OF THE MINISTER FOR L S G & P H
Dat 28 6 44
No 9168

13204
27 JUL 1944
GOVT OF MYSORE

To the Comptroller Mysore Gazette
No L178 & 27-44
No objection to accn

Send a remainder to the Commissioner & Inform proposals regarding the suggestions made by the G & Witness amended

Under
13 7 44

Under
4/8

69]

Continuation Sheet | File No 7769 743 / Current No ML | 22 of 44 | Page

submit with a draft letter for appl

15/ Jan

Jones
1/7/43

CH & REV SECT.

Remind? 4 ?

WD 0726—CPB 2,000—1, 9-44

5247 I

File No
Current No

of

Page

C F No 46]

GOVERNMENT OF MYSORE

2496/CB

No G 1439/43
Encls

OFFICE OF the Inspector General of Police in Mysore, Bangalore

Date 11th February 1944

To

The Chief Secretary
to the Government of Mysore, Bangalore

DEVELOPMENT OFFICE
12 Sir 1944
NO 4728

I have the honour to report for the information of Government that a fire broke out in the Bamboo Bazaar Street, behind the Narasimharaja Road, Bangalore City, this afternoon at about 1 30 P M It resulted in the burning of three shops, which contained timber and bamboos The Fire Engines were immediately sent and the fire has been brought under control A detailed report will be sent in due course

OFFICE OF THE MINISTER FOR REVENUE & LAW
12 FEB 1944
No 4771

I have the honour to be,
Sir,
Your most obedient servant,

Sd/ Illegible
Inspector General of Police

Rm Randle
Secd
Dewan

RM 12/2/44 It might well have remained out & be

1

a great disaster 2496 CB 47/26
Some special arrangements
should be made in the
area to prevent, or to deal
with fires - such such as
thick walls between shop &
shop, special arrangements
for water & pumping &c
This question may be dis
cussed

GEN & R V SECRETARIAT
5247
17 FEB 1944
L S G BRANCH

along with the other suggestions
made by the DC in a subsequent report

SECY LAW DEPT
8/73
SOUTH AFRICA

Kay Sy

Continuation Sheet | File No 5247/I Current No | of | Page

No 5220 A
2 Members
12

3 The Municipal Commissioners will be requested to submit detailed proposals in connection with which may be necessary in a subsequent letter some valuable suggestions

Mr Secy 2 Gg

Circ 17-2-44 from

4 The DCS cases may be put up to

19-2-44

Circ 21-2-44

Pl put up 21/2

5 Submit with the copy of the D-C's letter as directed above

UMB 24/2 6 Kind reference is invited to the Dewan's orders contained therein (Page 3 of the copy of the letter)

Law Secy Gen 24/2/44

Submitted

Mr Secy 2 Gg

Circ 24-2-44 from

A may be done

to

2-3-44

Circ 2-3-44

Draft letter

Pl 3/3/44

FOR THE MINISTER FURLSG&PH Date 17/2/1944 No 5501

25 2 44 5768

5220 V 5247

Continuation Sheet | File No / Current No | of | Page

Draft ordd -
JM
3/3/44

Dmcf 3/8/44

To Ord Comm, Brig Thos Rock
NO L 9242 Dy 6 3-44
Calls for detailed proposals

Ans 4
3/3
JM

FOR L. S. G. & P. H.
Date 17/2/44
No 5478

Copy of D. O. letter No P C 89/43-44 dated the 11th February 1944 from the Deputy Commissioner, Bangalore, to the Chief Secretary to Government

GEN. ADVT. SEC. 5220 10 FEB 1944

I write to state that one private gentleman came and informed me at 3-30 P M in the office that a serious fire had occurred in the Bamboo Bazaar road and that it was still raging He said that the City Fire Engine had come and that when they went to the Cantonment area, the fire engine there also was ready, but they wanted a requisition from the Municipal Commissioner He requested that needful action might be taken to see that the C & M Station fire engine was also got I tried to get at the Municipal Commissioner, Municipal Engineer on the phone, but they had already gone to the spot I then phoned to the City Superintendent of Police and the City Asst Superintendent of Police, but they had also gone to the spot The Inspector General of Police informed me on the phone that Mr Somappa, Mr Quadir Ali and Mr Babu Reddy had also gone there I learnt that the fire was rather serious and in a dangerous area I intimated this to the Dewan by phone and proceeded to the spot with the District Superintement of Police and Mr G S Doraswami Iyer who was with me I found that the Municipal fire-engine and our A R P Fire-fighting lorries were already working at full capacity and fighting the fire successfully The men were in the thick of the fight and Mr Shankara Iyer, City Supdt of Police was in the thick of it showed great courage, pluck and ability in directing the operations and himself handled a hose The Cantonmet fire-engine was standing there I took an immediate survey of the situation and the Officer-in-charge of the Fire Brigade of Cantonment asked me if they should do anything After consultation, he was asked by the Municipal Commissioner to help in the same by using his engine in one section and work along with others He, however, wanted the entire City fire-engines etc , to be withdrawn, before he could take up the work his engine had only a 100 h P pump and his staff was much less He was told that he might co-operate with us or else we would manage the thing ourselves as fire had already

already been controlled After some hesitation, he worked the engine for a few minutes but then this pump did not work satisfactorily and he could not work further His men also picked up an unnecessary quarrel with the Municipal Engine foreman without any provocation Having regard to all these circumstances and with the concurrence of the Municipal Commissioner and all the other Officers, we said that he could cease work He did so and went away The fire was completely brought under control by about 4-30 p m I also informed this to the Dewan on phone just before he left for Kolar, and he desired that I should stay there and see to the elimination of the danger Accordingly, I stopped there and saw that the machinery and the people worked smoothly and wholeheartedly

2 The spot of the fire was just at the shop at the start of the Bamboo Bazaar right opposite to the Mysore Engineering Works and immediately next to the Ist Cross Road and next to the old C & M Station Bus Service Stand Our Fire-fighting engines did extremely well by working in 3 or 4 different directions and isolating the fire from spreading Fortunately, the wind also was blowing in the opposite direction or else, the loss would have been greater There was quite a big congregation of people The local police force have done commendable work in controlling these and keeping them off the danger and also leaving a free area for fire fighting services Mr Shankara Iyer worked at considerable risk in putting off the fire Messrs Somappa, Quadir Ali, Babu Reddy, and Zahiruddin were also on the spot and ably directed the operations and worked with single-handed devotion The Municipal Commissioner, the Municipal Engineer and the Health Officer and their staff were also there All the people present were greatly impressed by the whole-hearted co-operation ~~with which co-operation~~ with which the resources of the Municipality, Police, Reserve and A R P were marshalled together to put out the fire which otherwise would have easily spread and caused serious consequences They all obtained the unsolicited thanks and sincere appreciation of the public and they well deserved it

3 Today being Friday, it appears most of the shop-keepers had gone for prayer and when they returned from prayer, the smoke was noticed in the rear and thereafter, alarm was raised and the authorities were communicated The promptitude with which all our fire fighting parties

were brought into operation is an illustration of the efficiency of this newly organised service

4 As far as I can make out on the spot, there was also no loss to human life Three horses are learnt to have been burnt away In all, 7 shops have been completely burnt, the first 2 or 3 had heavy stock of cut sizes of teak, etc When I spoke to the merchants, I was informed that the loss incurred was nearly a lakh of rupees It may be an exaggerated estimate, but taking into consideration the present day high prices and the value of buildings and the notes of the alleged value of Rs Three thousand, which were burnt, the loss may be estimated to be somewhere in the region of Sixty to Sixty-five thousand rupees

5 I understand that this is a second fire that has occurred recently in this area The cause of fire is apparently due to the fact that the rear portion had been let to Jhatkawalas who had kept the gram cooking and gone away and it must have originated the fire or else, the burning of three horses is not explainable The locality is very congested and to my mind it appears that an area of land in a non-residential area should be selected for Bamboo Bazaar Further, the importance of the buildings on the main Narasimharaja road and presence of easily combustible material add to the danger In addition to the usual timber, huge quantities of thatching leaves, mats, dried bamboos etc , casurina poles are also stocked which are easily inflamable It is time for us to think of either shifting the Bamboo Bazaar from this area to a non-residential area or in the alternative at least to control the kind of timber that could be kept in the place and standardise it Merchants for example can keep samples here and stock elsewhere or fire resisting buildings alone permitted with non-combustible materials and prohibiting all stocks of bamboo mats, thatching leaves, brookstick

Lewan's orders -
Extract to Municipality for opinion after submission to Minister, L S G "

(Intd) N
14 2 44

Action has been taken in this direction. The question of Bazaar may be entertained early
16 2 44

and other combustible material of a similar nature Secondly, there are not many hydrants in the area and if fortunately we had not got good wells with high-water level, there would have been difficulty in putting out the fire The Municipality and the Water Supply Department should be requested to provide about a dozen hydrants every hundred yards in this street with instructions that in case of any further accidents, the water may be forced to this area by cutting off water elsewhere so that any fire may be brought under control immediately This precaution is all the more necessary because it is not yet the beginning of summer and if even in winter, such a thing is possible, things in summer might easily be much worse I may also add that heavy tenders appear to have been called for the supply of materials for putting up sheds etc and fuel by the military As a big supply centre, these merchants get heavy stocks and therefore, every precautionary measure in this area appears to be necessary

6 I tried to intimate these facts to the Law Minister but he was not either in the office or at his residence I tried to ring you up but I was told that you had gone to Mysore and I informed this to Mr Sundaram who answered the Phone The Inspector General of Police was also informed This letter embodies only the result of my first enquiries on this spot After I get the detailed report from the Officers, I shall send a further report, if necessary

No 30423/CS dt 15/2/44

Copy forwarded, with compliments, to the Law Secy for favour of taking necessary action

Chief Secy to Govt 15/2/44

COY L 14/2/44

BANGALORE CITY MUNICIPALITY

No C2 Pr 355/43 etc
Encl

MUNICIPAL OFFICES
Bangalore 12th Feb, 1944

Mr RKS

FROM

P SURYANARAYANA SETTI ESQ BA LL B
MUNICIPAL COMMISSIONER
Bangalore City

GEN & REV SECT
5184
14 FEB 1944
LSGD

L ' 'S OFFICE
2 ? 1944
5134

TO

C Narayanaswamy Naidu, Esq , B A , B L
SECRETARY TO THE GOVERNMENT
OF HIS HIGHNESS THE MAHARAJA OF MYSORE
LAW DEPARTMENT BANGALORE

MYSORE

SIR

I have the honour to report for the information of the Government that a serious fire accident occurred yesterday between 2 and 4 15 P M in the Bamboo Bazaar Road, Bangalore City On receipt of the information of the accident in the office at about 2 P M , the Municipal Engineer went to the spot with the fire-fighter and the necessary staff Immediately myself and the Health Officer proceeded to the scene of occurrence The District Magistrate had also come there

The shops on the south of Bamboo Bazaar Road and towards the east of the I Cross Road, leading to New Gangammacherry, were affected by the accident The Municipal fire-fighter - worked extremely well in putting down the fire with the co-operation of the Police, the Reserve and the A R P people The situation was brought under control by about 4 15 P M

It is ascertained that there was no loss of human life, but three horses have been burnt In all, 7 shops have been completely burnt Taking into consideration the present day high prices, the loss may be estimated to be between 60 to 70 thousands of rupees

OFFICE OF THE MINISTER FOR L S G & P H
Dt 16/2/44
No 5388

Submitted for perusal

I have the honour to be,
Sir,
Your most obedient servant,

LAW DEPT C038

Lawrence 14/2/44

P Suryanarayana Setty
Municipal Commissioner

MYSORE mlt

Put up file together
4/3/44

Dewan

16/2/44

4/3/44

LAW DEPT 14/2/44 MYSORE

C F No 45] GOVERNMENT OF MYSORE

Genl 2612 -
926/3

To the Municipal Comr
Bangalore city Municipality through the DC

Sir,

I am forwarded herewith an extract from letter no PC 89/43-44 dt 11-2-44 from the Dy Comr, Bangalore re measures to be adopted for the prevention of the recurrence of fires in the Bairidge Bazaar Area of the Bangalore city, I am directed to request you to be so good as to submit detailed proposals in the matter in consultation with the Dy Com, Bangalore at the earliest convenient date.

In the meantime you are requested to make special arrangements in the area to prevent the recurrence of such fires as occurred in the Bairidge Bazaar. Special arrangements should be made for the proper watching etc during the hours when the shops are closed, along with the necessary precautions in this behalf.

Copy of the above is forwarded for info to the Dy Comr, Bangalore for similar action.

2612
926/3

for Asst to Govt

7700/L

Sus Regr No ~~Hero to the Public~~

Shall a reminder issue to Abd Kadr Blore city

for a reply to this Office No L 299 dated the 8/7/43

Subject

Grant of a license to
Mr Appadu Naidu for the
construction of a building
on plot no 109, Subedar
Chattram Road New Extn
Blore city

C F No 45]

GOVERNMENT OF MYSORE

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L9242 Dated Bangalore 6 March 1944

FROM

The Secretary to the Government of His Highnes the Maharaja of Mysore
Law Department

To

The Municipal Commissioner
Bangalore City Municipality

Through

The President, City Municipality, Bangalore

Sir,

In forwarding herewith an extract from letter No P C 89/43 -44 dated 11th February 1944 received from the Deputy Commissioner, Bangalore District, re measures to be adopted for the prevention of the occurrence of fires in the Bamboo Bazaar Area of the Bangalore City, I am directed to request you to be so good as to submit detailed proposals in the matter very early in consultation with the Deputy Commissioner, Bangalore District The question of making special arrangements in this area to prevent and to deal with fires - such as thick walls between each shop and shop, - special arrangements for water pumping etc may also be examined, along with the suggestions made by the Deputy Commissioner in this behalf

I have the honor to be,
Sir,
Your most obedient servant,

(Draft) for Secretary to Government,
Law Department

Memo No Dated Bangalore March 1944

Copy of the foregoing is forwarded with compliments to the Deputy Commissioner, Bangalore District, for information

By Order,

Secretary to Government,
Law Department

C F No 45]

GOVERNMENT OF MYSORE

Telegraphic address

No 1564
Encls

OFFICE OF THE MINISTER FOR REVENUE & LAW
17 FEB 1944
No 4928

OFFICE OF
The Government Architect,
Bangalore.

Date 15-2-44

To

The Municipal Commissioner,
City Municipality, Bangalore City.

SECRET
5269
17 FEB 1944
L S G BRANCH

Sir

Re:- Acquisition of burnt-out blocks in Bamboo Bazaar Bangalore City by the Municipality.

On Friday the 11th inst a fire occurred in the Bamboo Bazaar of Bangalore City destroying several of the shops and storage yards at the west end of the Bazaar (towards the market)

The approved layout plan for the land between Kalasipalyam and Jayachamarajendra Road provides a broad main road (Artery) from Visveswarapuram Circle to Narasimharaja Road designed to relieve the congestion in the existing links between the Southern Extension and the business centres of the City. This important newly projected road leads, at its Northern end, though the plots which have been burnt out during the recent fire. Under these circumstances, I have the honour to suggest (A) that the Municipality may take immediate steps to acquir the compounds in question which will be less expensive in their present condition and (B) that the Licencing Officer may be instructed not to permit the rebuilding of any structures in these compounds until the matter of acquisition by the Municipality has been decided.

As the accident of the fire provides us with an opportunity to facilitate a Town Planning project of great benefit for the whole city I suggest that necessary orders may be kindly issued immediately.

I have the honour to be
Sir,
Your most obedient servant,

Sd.C.H.Koenigsberger,
Government Architect.

K.G. 14th

Memo No 1568 Bangalore, Dated the 14th February 1944
15

Copy of the foregoing is submitted to the Minister Law Department, Bangalore, for information

K G 14th

Government Architect.

C F No 45]

GOVERNMENT OF MYSORE

OFFICE OF

The Government Architect,

Bangalore.

No 1564
Encls

Date 15-2-44

To

The Municipal Commissioner,

City Municipality, Bangalore City.

REN & REV 619
1 APR 1944
L G L

Sir

Re:- **Acquisition of burnt-out blocks in Bamboo Bazaar Bangalore City by the Municipality.**

On Friday the 11th inst a fire occurred in the Bamboo Bazaar of Bangalore City destroying several of the shops and storage yards at the west end of the Bazaar (towards the market)

The approved layout plan for the land between Kalasipalyem and Jayachamarajendra Road provides a broad main road (Artery) from Visveswarapuram Circle to Narasimharaja Road designed to relieve the congestion in the existing links between the Southern Extension and the business centres of the City. This important newly projected road lends, at its Northern end, though the plots which have been burnt out during the recent fire Under these circumstances, I have the honour to suggest (A) that the Municipality may take immediate steps to acquire the compounds in question which will be less expensive in their present condition and (B) that the Licencing Officer may be instructed not to permit the rebuilding of any structures in these compounds until the matter of acquisition by the Municipality has been decided.

As the accident of the fire provides us with an opportunity to facilitate a Town Planning project of great benefit for the whole city I suggest that necessary orders may be kindly issued immediately.

I have the honour to be
Sir,
Your most obedient servant,

Sd.O.H.Koenigsberger,

Government Architect.

K.G.14th

P.T O.

Memo No (567) Bangalore, Dated the 14th February 1944

Copy of the foregoing is submitted to the Minister, Local Self Government, Bangalore, for information

K G 14th

17/2/44 C.H. Kamsfeer
Government Architect

Appendix F G—1]

SUBJECT

Section ml

File No

Serial No

Diary No of letter replied to

No L10566

To

General and Revenue Secretariat

( )

the *194*

The ml Comm, Burma Rgn

Sir,

Date of issue 12/4/44

I am directed with reference to letter no 1564 dy 15-2-1944 addressed to you by the Govt Architect in the matter of the acqn of certain burnt-out blocks in the Bamboo Bazaar, by the afforesaid, and to request you to be so good as to obtain & forward the opinion of the ml cl in the matter very early

Signed by Mr GRR

I have ek

for

Secretary to Govt

Law Deptt

List of enclosures

Copied by

Examined by

WD 04161—GPB—60 000—24 10 41

BANGALORE CITY MUNICIPALITY

Office of the Government Architect,
MYSORE PUBLIC WORKS DEPARTMENT
CENTRAL OFFICE,

Dated Bangalore the 13 MAY 1944 194

Acquisition of burnt out ~~blocks~~ in Bamboo Bazaar, Bangalore city by the Municipality

Dear Sir,

I write to invite your kind - - reference to this office No 1564 dated the 15th February 44 on the above subject and to state that the meanwhile new building have been constructed on the burnt out compounds

Thus a unique occasion of carrying out an important city ~~imp~~ improvement - - scheme at very low cost appears to have passed unused

To
P Suryanarayana Setti Esq BALLB
Municipal Commissioner
Bangalore city

Yours sincerely,
Sd O H Koenigsberger,
Secretary Town Planning Committee

K G 6th

Memo No 29 Dated 8 5 44

Copy of the above is submitted to the Secretary to Government Law Department, for information

8/5/44
Secretary Town Planning Committee

K G 6th

BANGALORE CITY MUNICIPALITY

GOVERNMENT OF MYSORE

OFFICE OF The Government Architect,
P & Central Office, Bangalore

No. 2076 Dated 19 May 1944

To The Secretary to Government,
Law Department, Bangalore.

Subject - Protection of bamboo bazaar, Bangalore City

I have the honour to forward herewith an un-official memorandum regarding proposals for the protection of bamboo bazaar, Bangalore city against fire for kind information

I have the honour to be,
Sir,
Your most obedient servant

Government Architect

BANGALORE CITY MUNICIPALITY

No. L1-C 828/43

Encl five

MUNICIPAL OFFICES

Bangalore 31st May 1944

FROM

P SURYANARAYANA SETTI ESQ BA LLB
MUNICIPAL COMMISSIONER
Bangalore City

SEC GOVT OF MYSORE

GEN & REV SECRETARIAT 7660 5 JUNE 1944 L S G BRANCH

C Narayanaswamy Naidu, Esq , B A , B L ,
Legal Remembrancer and
Secretary to Government,
Law Department,
Bangalore

SIR

Subject - Acquisition of Door Nos 27, 9A, 9B and 10 and 11, in Bamboo Bazaar Street, Bangalore City

---

With reference to your letter No L 10566/M1 dated 12th April 1944, inviting reference to letter No 1564 dated 15-2-44 from the Government Architect addressed to me suggesting that the Municipality may take immediate steps to acquire the properties referred to above in order to relieve the conjestion in the existing link roads between the southern extension and the business centre of the City, I have the honour to forward herewith, in duplicate both in English and Kannada, the Preliminary Notification under Sections 4 and 5 of the Land Acquisition Act for favour of publication in the Mysore Gazette

The cost of the acquisition of the property has been estimated to be Rs 9,950/- which will be met out of the current year's budget under 'D3 Compensation

A copy of the resolution of the Municipal Council dated 25-5-1944 approving the said acquisition is herein enclosed for favour of information

I have the honour to be,
Sir,
Your most obedient servant,

Forwarded with compliments,

Honorary President

Municipal Commissioner

mlt

Office of
the Government Architect in Mysore,
Bangalore, dated May 1944

Proceedings of the Meeting of Council dated 25-5-44

Urgent Subject No 2

Plan and valuation statement for Rs 9,950/- for acquiring certain burnt out blocks in Bamboo Bazaar

Resolution - Approved

Sd C N Narasinga Rao,
Hon President

'Copy"

Municipal Commissioner

mlt

Office of
the Government Architect in Mysore,
Bangalore, dated May 1944

[C F No 46] **GOVERNMENT OF MYSORE**

No 26052
Encls 3

OFFICE OF the Chief Engineer for
Roads and Buildings in Mysore Bangalore

Date 5th June 1944

To
The Secretary to Government,
Law Department, Bangalore

Sir

Re - Proposals for the protection of the Bamboo Bazaar, Bangalore City, against fire

---

I have the honour to forward herewith the proposals made by the Architect in Mysore for the protection of the Bamboo Bazaar Bangalore City against fire and to request that the same may be placed before Government for orders The memo No H D 7658/43 dated 12-5-1944 received from the Health Officer, Bangalore City Municipality with the remarks of the Architect and the Chief Engineer is enclosed for information

I have the honour to be,
S i r,
Your most obedient servant,

Chief Engineer for
Roads & Buildings

V M S/2nd

Office of
the Government Architect in Mysore,
Bangalore, dated May 1944

Un officiah Memorandum

Regarding proposals for the protection of the Bamboo bazaar Bangalore City, against fire -

---

On February 10th a fire occurred in the Bamboo Bazaar, Bangalore City Though the fighting of fire was taken in hand immediately by several trailor pumps, three sites with all buildings and with all materials which were stocked therein were burnt out entirely The material damaged is considerable Some horses were killed, fortunately there were no other casualities

It is however obvious that the whole of the bamboo Bazaar and probably a good many neighbouring houses would have been destroyed if the fire had started at the eastern end or if it had occurred on a day with South-western wind

It is therefore imperative that precaution should be taken to prevent desastrous damage through future fires in the Bamboo Bazaar area After discussion and the inspection of the site with the Municipal Engineer, the Health Officer, Bangalore City Municipality and the Executive Engineer, Water Supply Division and in consultation with these three officers I propose to recommend to Government two groups of precautionary measures:-

(a) The issue of special Bye-laws for the Bamboo Bazaar area and

(b) the establishment of Special Fire Fighting system for this area

(A)

BYELAWS

Byelaws for the protection of the Bamboo Bazaar can be issued by the Municipality under Section 51(1) (a) and (b) of the Mysore City Municipalities Regulation of '33 (Reg-VII of 1933) or by Government under Chapet IV, Section 36(b) of the Mysore Police Regulation 1908 (Reg No v of 1908)

In the following it is presumed that the byelaws will be issued by the Municipality If however they are to be issued under the Police Act the word "Municipal Engineer" in the following draft will have to be substitute by the word "District Superintendent of Police, Bangalore"

The byelaws should cover the following points -

(1) The area described in appendix (a) is herewith declared as Special Market for trading with timber, bamboo materials made out of bamboos, ~~thache~~ thatte and related material and may shortly referred to as "Bamboo Bazaar"

(2) The stocking of the materials described under (1 in any quantity exceeding house-hold requirements shall not be permitted in any area outside the Bamboo Bazaar unless special sanction is obtained from the Municipality Such sanction may be given only for localities which are t far from the Bamboo Bazaar to be served from there

(3) No other crafts, trades, factories, shops or ware-houses, Stables, cattle sheds and garages, etc , are permitted in the Bamboo Bazaar

(4) Within a belt of 30 yards width of the surround the area of the Bamboo Bazaar, Smithy Workshops Motor Repair Workshops Foundaries or any other Workshops or factories using fire may not be erected Existing Workshops and Factories will be served with notice to remove their works to other premises within one month from the issue o the notice

(5) Living houses and quarters in the Bamboo Bazaa area requires a permit from the Bamboo Bazaar Inspector Such permits are to be given only for dealers in Bamboo timber or otheir employees and watchmen who desire to li

live in their own compounds

(6) " A Bamboo Bazaar Inspector" with the qualification of a motor mechanic and the rank and pay of a P W D Overseer may be appointed in the staff of the Municipal Engineer His duties and powers will be as follows -

(a) He has to issue licenses and collect fees

(b) He has to live in the Bamboo Bazaar area and must be available for inspections and control at any hour of the day or night

(c) He is responsible for the proper stocking of materials, for the compliance with rules of Fire Protection and for the orderly conduction of business in the Bazaar area For this purpose he must have access to all compounds and buildings in the area at any time

(d) He is responsible for the cleaning and clearing of roads in the Bazaar

(e) He is responsible for the control of living quarters in the Bazaar (vide para 5 above)

(f) He is in charge of the Bamboo Bazaar Special Fire Service and all appliances belonging to it

(7) Licenses for the trading in timber, bamboo, materials made out of bamboo, thatch and related materials in a compound belonging to an applicant respectively leased by him for the purpose of his business may be issued against a free of Rs 25 per year subject to the following conditions -

(a) No building with thatched roofing or with walls of thatch, tatty or matting or any easily inflameable materials may be permitted in the bazaar area

(b) All other Municipal Building byelaws apply as usual

(c) Every occupant of a site in the bamboo bazaar area must erect a compound wall of 20' high and 1½ feet thickness in the rear of his compound and along the full length of the right side (facing the compounds from the

the road) In cases of corner compounds, such walls have to be erected also along the left compound boundary

(d) No door or windows openings may be permitted in these walls except for one door opening into the conservancy lane in the rear This door is compulsory for every compound

(e) Buildings and other structures within the compounds should be constructed of fire resisting materials (vide Appendix 'B')

(8) The Municipal land between the Bamboo Bazaar compounds and the road will only be leased out at a rate of Rs 1/- per year and per sq foot, subject to the following conditions -

(a) Municipal land can be leased out only to the holder of the private site behind it, but never independently

(b) The side walls must be continued to the road margin at both sides of the Municipal plot

(c) No other structures are permitted within the leased out area

(d) All timber must be stocked inside the compound while the front portion is to be used only for bamboos and thatch

(9) The fees for the trading license as well as the cost of leasing Municipal land may be reduced to 1/3rd of the rates fixed in Section (7) of these rules in cases of merchants whose property is fully insured against damage by fire with a recognised Insurance Company

(10) The roads in the Bamboo Bazaar area must be kep free from material of any kind

The Bamboo Bazaar Inspector has the right to issue written notices of two hours for the removal of any materials found in the public road to the occupants of sites in front of which the material is found If his notices are not complied with or if the owner of the material cannot be ascertained the Bamboo Bazaar Inspecto

Inspector has the right to seize the materials and take it to the Municipal Stores from where they will be auctioned, not earlier than two weeks after being seized He may be permitted to approach the Police direct for help in case of necessity The return of the auction must cover the expenses of removal and storing, calculated at Rs 2/- per cart load and per day the fees of the auctioneer and ground rent at a rate of As 1/- per Sq foot per day for the area and time during which the public road was obstructed by the seized materials

(11) The Municipal Engineer has the right to sanction the expenditure to be incurred by the Bamboo Bazaar Inspector in execution of his duties up to Rs 25/- per time

(12) Each authorised dealer in the Bamboo Bazaar has to keep at least 10 fire buckets within his premises The buckets must be painted red, marked "Fire" and stored or hung up at a place with easy access, and they must not be used for any other purpose

- (B) -

FIRE FIGHTING SYSTEM

The proposed fire fighting system will consist of six surface wells distributed in equal distances over the area of the whole Bamboo Bazaar The wells must be dug within the land owned by the Municipality and must be revetted cement pointing and permanently covered with slabs The wells are to be interconnected by C I pipes and joined to two motor pumps which are to be erected in small pump houses The Bamboo Bazaar Inspector will be in charge of both pumps and may issue water from these pumps for the purpose of gardening and cleaning and watering of roads and compounds It is his responsibility to see to it that this normal use from wells is restricted in such a manner that the wells will not be found depleted in cases of fire

COST OF SCHEME

(a)

(a)

			Rs
	1	Acquisition of ground for bamboo bazaar Inspector's office and quarters about 1000 S yds at Rs 5/- per Sq yd	5,000/
(*)Existing old Bus Stand may be converted into office	2	Building for office and quarters of Bamboo Bazaar Inspector	3 000/
	3	Minor improvements in Bamboo bazaar area	1,000/
(*)6 x 1000 =Rs 6000	4	Cost of 6 surface wells including revetting and covering	6 000/
(*)Water Supply Departt	5	Cost of C I pipe line	4,000/
(*)Rs 3 000/-	6	Cost of two small motor pumps (including electrical motor)	3 000/
	7	Cost of two pump houses at Rs 500/- each	1 000/
(*)Rs 1,000/-	8	Unforeseen items L S	1 000/
		Total Rs	24,000/

This amount may be sanctioned from Municipal or Government funds in the interest of public safety in Bangalore City

(b)

RECURRING EXPENDITURE

1	Salary of Bamboo Bazaar Inspector in the grade of Rs 60-5-125-10-175 Average 117½ plus 5 C A		1,470	per annum
2	Small working expenses (vide para 11 above)	L S	205	
3	Electric current for pumps	L S	200	
	Total of recurring expenditure	Rs	1,875/-	

INCOME TO BE EXPECTED

No of shops and sites (at present)	30
License fee per shop	25
Income from licensing	720
Area of Municipal land leased about 30 sites of 600 Sft each total about 18,000 Sft at as 1 per Sft per year	
Income from leasing the Municipal land	1,125/-
Total income	1,875/-

The

The area of the Barboo Bazaar as fixed in Appendix 'A' provides for 58 sites If all these are taken up, a considerably higher income may be expected even if some dealers make use of the advantages offered for insuring their property

GOVERNMENT ARCHITECT

V M C/E 5 44(6)

To L178/ JH.22-44-2

The Compiler Mysore Gazette

Sir

I am directed to forward herewith for publication in Part III of the Mysore Gazette preliminary notifications in English and Kannada relating to the acquisition of Door NOS 2-7, 9A, 9B, 10 & 11 in the Bamboo Bazaar Street, Bangalore required for relieving the Congestion etc.,

and to request you to be so good as to send 20 spare copies each of the notifications in English and Kannada to the ~~Assistant~~ Commissioner ~~in charge of Sub division~~ Bangalore ~~District~~

I have the honour to be
Sir
Your most obedient servant

For Secretary to Government
Law Department

MEMO NO L180-/ dt 7-7-1944

Copy of the above is forwarded with compliments to the ~~Deputy~~ Commissioner Bangalore ~~District~~ with reference to his letter No L1 C828/43 dated 31-5-44 ~~The records accompany.~~

By Order

For Secretary to Government
Law Department

NOTIFICA

Under Section 4 of the Land Acquisition Act 1894 as amended from time to time it is hereby not
As existing lines between the houses where extension is to be made

Under Section 5 A it is directed that any person interested in the above properties may within 30
in writing after which no objections will be heard

A plan of the properties will be available for inspection in the Office of the Municipal Commissione

District	City	Division	Street	Name of khatedar or owner	Survey or Municipal No	Vacant site house tiled terraced or mud roofed	Total extent in square yards or Ankanams	Extent no		
								Length in feet	Breadth in feet	Area in square feet
1	2	3	4	5	6	7	8	9	10	11
Bangalore	Bangalore	III	Banaswadi Agrahara	M J Khalak Sheriff	27	Vacant site	266 2/3	80'	30'	240
				M B S Pakirudda	9A	Vacant site	266 2/3	80'	30'	240
						Existing foundation with stone clay	2×30	(1½×3)		6
						ablut the burnt accident	1×37	-		3/9
				M B S Abdulla	9B	Vacant site	266 2/3	80'	30'	240
						Existing foundation with stone clay	2×30	(1½×3)		6
						ablut the burnt accident	1×37	-		3/9
				M Abdul Majeed Khan	10	Vacant site	533 1/3	2×80'	30'	480
				M C M Jaffar Khan	11	Vacant site	266 2/3	80'	30'	240
				By order		stone clay foundation existing		2×80	(2×4)	16
						Burnt stone slabs of 6" dressed for the basement		2×26	(2×4)	52/11
				Forwarded to Govt		Compound wall to all on the Conservancy side with a door		212	2	424
				1/6 Law Deptt		9 Two windows		30	3/4 7½	3

To

The Compiler, *Mysore Gazette* for publication in three successive issues of the *Gazette*

d that the properties described hereunder are required for a public purpose *viz* for making a cartle in Bamboo Bazaar street - Bangalore city
ys after the issue of the notification prefer objections if any thereto to the Municipal Commissioner

City Municipality Bangalore

required			Boundaries				Remarks
Area in square yards	Ankanams	Running feet	East	West	North	South	
12	13	14	15	16	17	18	19
266 2/3	—	-	mr B S Jakmulla st	municipal road	Bamboo Bazaar street	municipal conservancy lane	
266 2/3 Rft			mr Majid Khan st	mr B S Jakmulla st	-do-	-do-	
266 2/3 Rft			mr majid -Khan st	mr B S Jakmulla st	-do-	-do-	
533 1/3			mr c m Jaffar Khan st	mr B S Abdulla st	-do-	-do-	
266 2/3			mr Abdul Sattar Shop of Hoza Kola R A	mr Abdul majid Khan st	-do-	-do-	

P [illegible]
for municipal Commissioner
and Land Acquisition Officer
Bangalore City
29-5-44 ms

Secretary to the Government of
His Highness the Maharaja of Mysore
General and Revenue Secretariat

ತಾರೀಖು

ಇಸ್ತಿದಾ

1894ನೆಯ ವರ್ಷದ 4ನೆಯ ನಂಬರ್ ಲ್ಯಾಂಡ್ ಅಕ್ಷಿಜಿಷನ್ ರೆಗ್ಯುಲೇಷನ್ನಿನ 4ನೆಯ ಪ್ರಕರಣವನ್ನನುಸರಿಸಿ ಇದರಿಂದ ಪ್ರಸಿದ್ಧಪಡಿಸಲಾಗಿರುವ 5ಎ ಪ್ರಕರಣವನ್ನು ಅನುಸರಿಸಿ ಸದರಿ ಸ್ವತ್ತಿನಲ್ಲಿ ಹಕ್ಕುಳ್ಳವರು ಈ ಇನ್ತಿಹಾರನ ಪೆಯನ್ನು ಪ್ರಕಟಿಸಿದ 30 ದಿವಸಗಳೊಳಗಾಗಿ ತಮ್ಮ ದಕರ ಗಳ ನಷ್ಟೆಯನ್ನು ಲಜರ್ಮಾಯಿಷಿ ಬಗ್ಗೆ ಬೆಂಗಳೂರು ಸಿಟಿ ಮುನಿಸಿಪಲ್ ಕಮಿಷನರ ರವರ ಆಫೀಸಿನಲ್ಲಿ ಇಡಲ್ಪಟ್ಟಿರುತ್ತೆ

ಡಿವಿಷನ್	ಸರ್ವೆ ನಂಬರ್	ಸಬ್ ಡಿವಿಜನ್	ಬ್ಲಾಕ್	ಖಾತೆದಾರನ ಯಾ ವಾಲೀಕನ ಹೆಸರು	ಸರ್ವೆ ನಂಬರ್ ಸಬ್ ಡಿವಿಜನ್ ನಂಬರ್	ಖುಲಿ ನಿವೇಶನ ಮನೆ (ಹೆಂಚಿನ ಯಾ ಮಣಿನ ಮನೆ)	ಒಟ್ಟು ವಿಸ್ತೀರ್ಣ ಚದರ ಗಜ	ಈಗ ಸರ್ಕಾರಕ್ಕೆ ಪ		
								ಉದ್ದ ಅಡಿ	ಅಗಲ ಅಡಿ	ಚದರ ಅಡಿ
1	2	3	4	5	6	7	8	9	10	11
				1) [illegible]	27	[illegible] ಸದ	246½	60	30	24.0
				2) [illegible] ಬ್ಲಾಕ್ ಬಿ	94	[illegible]	246½	60	30	24.0
						[illegible]		2x30	(1½x3)	60
						[illegible]		437		37
				3) [illegible] ಬ್ಲಾಕ್	95	[illegible]	246½	20	30	24.0
						[illegible]		2x30	(1½x3)	60
								1437		37
				4) [illegible]	10	[illegible]	533½	2x80	30	48.0
				5) [illegible]	11	[illegible]	246½	60	30	24.0
						[illegible]		2x80	(2x4)	160
						[illegible]		2x22	(2x4)	52
						[illegible]		212	2	6.24
						[illegible]		30	(¾x1½)	36

ಮೈಸೂರು ಗೆಜೆಟ್ಟನಲ್ಲಿ ಪ್ರಸಿದ್ಧಪಡಿಸುವದಕ್ಕೋಸ್ಕರ ಗೆಜೆಟ್ಟಿನ ಕಂಪೈಲರಿಗೆ

ಎಕ್ಸ್‌ಟೆಂಪೆಸರ್ ಪ್ರೆಸ್ ೬೧

ನಂಬರ್

ಇದರಡಿ ವಿವರಿಸಿರುವ ಸ್ವತ್ತು ಸರ್ಕಾರಿ ಕೆಲಸಕ್ಕೆ, ಎಂದರೆ [illegible] ಮುನಿಸಿಪಲ್ ಕಮಿಷನರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದ ವಾಯಿದೆ ಕಳೆದ ನಂತರ ಯಾವ ತಕರಾರಿಗ ನ್ನೂ ಅಂಗೀಕರಿಸುವುದಿಲ್ಲ ಸದರಿ ಸ್ವತ್ತಿನ

ಸುವ ವಿಸ್ತೀರ್ಣ		ಚತುರ್ಗಡಿ				ಷರಾ
ಅಂಕಿಗಳು	ಪೈಸೆಯಲ್ಲಿ	ಪೂರ್ವ	ಪಶ್ಚಿಮ	ಉತ್ತರ	ದಕ್ಷಿಣ	
13	14	15	16	17	18	19
		[illegible]	[illegible]	[illegible]	[illegible]	
		[illegible]	[illegible]	ಅ ಚಿಲ್ಲೀ	ಅ ಚಿಲ್ಲೀ	
		ಅ ಚಿಲ್ಲೀ	ಅ ಚಿಲ್ಲೀ	ಅ ಚಿಲ್ಲೀ	ಅ ಚಿಲ್ಲೀ	
		[illegible]	[illegible]	ಅ ಚಿಲ್ಲೀ	ಅ ಚಿಲ್ಲೀ	
		[illegible]	[illegible]	ಅ ಚಿಲ್ಲೀ	ಅ ಚಿಲ್ಲೀ	

ಮುನಿಸಿಪಲ್ ಕಮಿಷನರ್ ಮೈಸೂರು

ಅಪ್ಪಣೆಯ ಮೇರೆಗೆ,

ಮೈಸೂರು ಸರ್ಕಾರದ ಜನರಲ್ ಮತ್ತು ರೆವಿನ್ಯೂ ಸೆಕ್ರಿಟರಿ

Note by the Executive Engineer Water Supply Division regarding fire protection arrangements for the immediate needs of Bangalore

---

The undersigned met the Superintendent P.P.L. and the Fire-brigade officer, Mr Babu Reddy on 24-2-44 and the following tentative proposals were arrived at

In view of the fact that the off-take discharge nor pressure can be made available to feed the trailor pumps at the required rate of water from the existing City distribution mains. The following proposals were decided upon as desirable. The recommendations are in the order of priority required

1 Bamboo Bazaar area - About 8 to 9 wells 15' diameter and not more than 20' deep may be got constructed since the supply of sub-soil water is almost unlimited in suitable places. For fire, the trailor pumps can directly operate the fire mains

2 For the Cowcarpet fire brigade area and the Cay Mills area the Binny Mills tank can be used with pumps and new pipe line system

3 In the area of old City bounded by the Hospital Road and Siddakatte bounded by the Karagampet road on the Cottonpet road suitable sites are available for construction of wells and water can be used therefor

4 The area between Kempegowda road up to Taluk Cutchery road an independent 8" or 6" water main can be laid from the low Level Reservoir up to Bank of Mysore Circle square for can also be operated independent of the distribution system

5 From Sheshadri road up to 6th or 7th cross road Mall stream, wells can be sunk in front of Laxmi Talkies or the existing well in the Police Station compound

6 For the area of Chickpet between 6th cross road and 11th cross road, an independent 8" line can be laid from C.J.F. up to the square

7 For Chamarajpet and Basavanagudi 8" fire lines can be laid from the water reservoirs to the localities to be operated independent during times of fire

If orders are received estimates will be sent forthwith on these lines

Further discussions were held in regard to telephone calls being made to get the water supply authorities assistance immediately during a fire on the following lines -

The Inspector at Low Level Reservoir - Telephone No 2122 to be immediately informed from the Fire-brigade station - Telephone No 2 who will then arrange to get more efficient supply of water to the required places

2. The Assistant Engineer, Water Supply Division Telephone No 2142 and 2237 to be intimated also as well as the Executive Engineer, Water Supply Division Telephone No 2141 and 2028 to be intimated for arranging necessary help

(M) C N Sharma Rao,
Executive Engineer
Water Supply Division

24/2/1944

"COPY"

9/5/44

GOVERNMENT ARCHITECT

V M S/8 5 '44 (6)

17/11/45

L7184

To, The Mil Commrs Bombay,
~~Hon Bob~~

Sir, I am directed to forward herewith a copy* of the proposals (sent typed) made by the Govt Architect-in-wee Improvement, for the protection of the Bamboo Bazaar, Bombay, against fire and to request you to be so good as to forward your opinion ~~of forward the~~ forward your proposals, after obtaining the opinion of the Mil cl in the matter, within a month of this date. I am to enclose herewith a letter no L9111 dt 6 3 45 from the same subject for your information

Yours obedt Servt
Ilegible Land Secretary

16/

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

GENERAL AND REVENUE DEPARTMENTS

G O No L 12074 8—Ml 192 44 8 dated 14th June 1945

Bamboo Bazaar Fire Accident

Passes orders on the recommendation of the Committee constituted in connection with the —— in Bangalore

---

READ—

Correspondence ending with letter No C 4054—44 45 dated the 16th April 1945 from the Deputy Commissioner Bangalore regarding fire accident on 23 d March 1945 in the Bamboo Bazaar Bangalore City

ORDER NO L 12074 8—ML 192 44 8 DATED BANGALORE THE 14TH JUNE 1945

On the afternoon of 23rd March 1945 a fire accident occurred in the Bamboo Bazaar Bangalore City It was reported that this accident resulted in considerable loss to the dealers in bamboo In order to ascertain what relief should be provided forthwith and what steps were necessary to prevent a recurrence of such accidents in future a small Committee of suitable officials and non officials was constituted in G O No L 9804 11 —Ml 192 44 1 dated the 31 t March 1945 with appropriate terms of reference with the Deputy Commissioner Bangalore as its President to go into the question thoroughly and to make its recommendations to Government

The Committee reported that the fire accident referred to was the third of a series of fires occurring almost consecutively in the same locality that the extent of damage caused on the two previous occasions—7th July 1942 and 11th February 1944—was estimated at Rs 59 500 and Rs 55 000 respectively while the fire of March last was the biggest causing a total damage of about Rs 20 2 lakhs of which the value of the buildings was estimated at Rs 2 lakhs and that of the stock in trade at Rs 18 lakhs The Committee was of opinion that the present Bamboo Bazaar might be shifted to a less vulnerable area

After a careful consideration of the question in all its aspects Government are pleased to order as under —

(1) The Bamboo Bazaar should be shifted from its present site

(2) The new Bamboo Bazaar may be located in the open site east of Lal bagh road and south of the Municipal Drain

(3) The Government will on their own account acquire the site and provide the necessary amenities such as roads water drainage and lighting at a total estimated cost of Rs 2 lakhs

(4) The site should be demarcated into convenient plots suitably enclosed by high compound walls and necessary structures provided with provision for fire gaps between each enclosure or blocks of enclosures This work which is estimated to cost about Rs 4 lakhs may be undertaken by the City Municipality If the Municipality has no funds Government will be prepared to sanction to the City Municipality a loan of Rs 4 lakhs at 3 per cent interest repayable in fifteen years

(5) If the City Municipality has not the staff to carry out the works expeditiously the Trust Board will take up the works and complete them on behalf of the Municipality

(6) The ownership of the land will be vested in the Municipality and it may frame suitable bye laws to enforce better regulation of the trade in the new site

(7) Special loans will be granted in deserving cases not exceeding Rs 5 000 in any single case on terms and conditions more or less similar to Takavi loans

(8) In the case of those who have lost more than 75 per cent of their stock in trade timber other than teak not exceeding three hundred cubic feet and bamboos not exceeding ten cart loads will be granted at concession rates *i e*, at 75 per cent of the Forest Depot rate

(9) The enclosing walls for the plots the bunks and storage sheds for each plot will have to be provided by the Municipality The cost of these appurtenances and structures has been included in the estimate of four lakhs of rupees referred to in clause (4) above

(10) The Municipality should not alienate or convert to any other purpose the site without the permission of the Government

The Municipal Commissioner Bangalore City is requested to furnish Government with the opinion of the Municipal Council on the scheme together with concrete proposals to give effect to the scheme a expeditiously as possible

C NARAYANASWAMY NAIDU,
Secretary to Government
Law Department

To—The Municipal Commissioner Bangalore City (throu h the President)
The Deputy Commissioner Bangalore District and the President of the Committee
The Comptroller to Government through the Financial Secretariat
The Chief Conservator of Forests n Mysore
The Eng neer Officer City Improvement Trust Board

Ex 1—B G S

W D 2492—C I B—3 0—3 7 45